

Appendix F. Vegetation Data

Valley Line-Stage 1: Full species inventory by plant community

| Type | Latin name | Common name | Origin | Plant Community ¹ | | | | | Status (ACIMS/Weed Act) |
|------|-----------------------------------|-------------------------|--------|------------------------------|---|-----|----|----|----------------------------|
| | | | | G & G/S | C | P1 | A1 | A3 | |
| Forb | <i>Achillea millefolium</i> | Common yarrow | Native | | | | | | |
| Forb | <i>Achillea sibirica</i> | Many-flowered yarrow | Native | | | | R | R | |
| Forb | <i>Actaea rubra</i> | Red and white baneberry | Native | | O | O | R | R | |
| Forb | <i>Anemone canadensis</i> | Canada anemone | Native | | R | R | | | |
| Forb | <i>Anemone riparia</i> | Tall anemone | Native | | R | O | | | S3S4 |
| Forb | <i>Apocynum androsaemifolium</i> | Spreading dogbane | Native | | | R | | | |
| Forb | <i>Aralia nudicaulis</i> | Wild sarsaparilla | Native | | | F | F | A | O |
| Forb | <i>Arcium sp.</i> | Burdock | Exotic | F | | R/O | | | |
| Forb | <i>Arcium tomentosum</i> | Woolly burdock | Exotic | F/A | F | R | | | Noxious |
| Forb | <i>Artemisia absinthium</i> | Absinthe | Exotic | F | | | | | |
| Forb | <i>Artemisia biennis</i> | Biennial sagewort | Native | | R | | | | |
| Forb | <i>Artemisia frigida</i> | Pasture sage | Native | R/A | | | | | |
| Forb | <i>Artemisia ludoviciana</i> | Prairie sage | Native | R | | | | | |
| Forb | <i>Artemisia tilesii</i> | Herriot's sagewort | Native | | R | | | | |
| Forb | <i>Asparagus officinalis</i> | Asparagus | Exotic | R | | R | | | S3 |
| Forb | <i>Aster ciliolatus</i> | Lindley's aster | Native | | R | R/F | | | |
| Forb | <i>Astragalus cicer</i> | Cicer milkvetch | Exotic | O | R | | | | |
| Forb | <i>Atriplex hortensis</i> | Garden orache | Exotic | F | | | | | |
| Forb | <i>Brassica campestris</i> | Canola | Exotic | R | | | | | |
| Forb | <i>Campanula rapunculoides</i> | Creeping harebell | Exotic | | | R | | | Noxious |
| Forb | <i>Chenopodium album</i> | Lamb's quarters | Exotic | F | O | | | | |
| Forb | <i>Carysanthemum leucanthemum</i> | Ox-eye daisy | Exotic | | R | | | | Noxious |
| Forb | <i>Cirsium arvense</i> | Canada thistle | Exotic | F | R | | | | Noxious |

¹ Classification based on D.A. Westworth and Associates (1980), with modifications by Spencer Environmental. G=S=grass/shrubland, C=caragana, A1=aspen, A2=aspen/balsam poplar, A3=Aspen/white spruce/other deciduous, P1=balsam poplar, P3=balsam poplar/aspen/birch, MM=Manitoba maple.

| Type | Latin name | Common name | Origin | Plant Community ¹ | | | | | | | Status (ACIMS/Weed Act) |
|------|--------------------------------|--------------------------|--------|------------------------------|---|-----|----|----|----|----|----------------------------|
| | | | | G & G/S | C | P1 | A1 | A3 | P3 | A2 | |
| Forb | <i>Corallorrhiza maculata</i> | Spotted coralroot | Native | | | R | | | | | S3 |
| Forb | <i>Cornus canadensis</i> | Bunchberry | Native | | | R | | | | | |
| Forb | <i>Crepis tectorum</i> | Narrow-leaved hawksbeard | Exotic | | | R | | | | | |
| Forb | <i>Cypripedium parviflorum</i> | Yellow lady's slipper | Native | | | R | | | | | S3 |
| Forb | <i>Epilobium angustifolium</i> | Fireweed | Native | | | R | R | R | R | R | R |
| Forb | <i>Erigeron philadelphicus</i> | Philadelphia fleabane | Native | | | R | | | | | |
| Forb | <i>Erysimum cheiranthoides</i> | Wormseed mustard | Native | F | | | | | | | |
| Forb | <i>Eurybia conspicua</i> | Showy aster | Native | | | R | A | | | | |
| Forb | <i>Fragaria vesca</i> | Woodland strawberry | Native | | | R | | | | | |
| Forb | <i>Galeopsis tetrahit</i> | Hemp nettle | Exotic | R | | | | | | | |
| Forb | <i>Galium boreale</i> | Northern bedstraw | Native | | | R | R | R | R | R | |
| Forb | <i>Galium spurium</i> | False leavers | Exotic | O | | | | | | | |
| Forb | <i>Geum aleppicum</i> | Yellow avens | Native | | | R | | | | | |
| Forb | <i>Hackelia americana</i> | American stickseed | Native | | | R/F | | | | | |
| Forb | <i>Hesperis matronalis</i> | Dame's rocket | Exotic | R | R | | | | | | Noxious |
| Forb | <i>Hieracium aurantiacum</i> | Orange hawkweed | Exotic | | | R | | | | | Prohibited noxious |
| Forb | <i>Hyoscyamus niger</i> | Black henbane | Exotic | F | | | | | | | Noxious |
| Forb | <i>Kochia scoparia</i> | Summer cypress | Exotic | O | R | | | | | | |
| Forb | <i>Lathyrus venosus</i> | Purple peavine | Native | | R | | | | | | S3 |
| Forb | <i>Linaria vulgaris</i> | Yellow toadflax | Exotic | O | | | | | | | Noxious |
| Forb | <i>Lotus corniculatus</i> | Bird's foot trefoil | Exotic | O | | | | | | | |
| Forb | <i>Lysimachia ciliata</i> | Fringed loosestrife | Native | | | R | | | | | |
| Forb | <i>Maianthemum canadense</i> | Wild lily-of-the-valley | Native | | | O | | | | | |
| Forb | <i>Matricaria perforata</i> | Scentless chamomile | Exotic | | | | | | | | Noxious |
| Forb | <i>Medicago sativa</i> | Alfalfa | Exotic | O | R | O | | | | | |
| Forb | <i>Melilotus officinalis</i> | Sweetclover | Exotic | O | | | | | | | |
| Forb | <i>Oenothera biennis</i> | Yellow evening primrose | Native | R | | | | | | | |

| Type | Latin name | Common name | Origin | Plant Community ¹ | | | | | | | Status (ACIMS/Weed Act) |
|------|--|--------------------------------------|---------|------------------------------|-----|-----|----|----|----|----|----------------------------|
| | | | | G & G/S | C | P1 | A1 | A3 | P3 | A2 | |
| Forb | <i>Osmorrhiza longistylis</i> | Smooth sweet cicely | Native | | | O | | | | | S2 |
| Forb | <i>Petasites frigidus</i> var. <i>palmatus</i> | Palmae-leaved coltsfoot | Native | | | R | R | | | | |
| Forb | <i>Plantago major</i> | Common plantain | Exotic | | | R | | | | | |
| Forb | <i>Ranunculus macounii</i> | Macoun's buttercup | Native | | | R | | | | | |
| Forb | <i>Senecio eremophilus</i> | Cut-leaf ragwort | Native | | | R | R | | | | |
| Forb | <i>Senecio vulgaris</i> | Common groundsel | Exotic | | | R | | | | | |
| Forb | <i>Silene pratensis</i> | White cockle | Exotic | O | | | | | | | Noxious |
| Forb | <i>Silene cucubalus</i> | Bladder campion | Exotic | R | | | | | | | |
| Forb | <i>Sisymbrium</i> sp. | Mustard | Unknown | | | | | | | | |
| Forb | <i>Sisymbrium loeselii</i> | Tall hedge mustard | Exotic | O | | | | | | | |
| Forb | <i>Smilacina stellata</i> | Starry-flowered false Solomon's seal | Native | | O/F | R/O | | | | | |
| Forb | <i>Solidago canadensis</i> | Canada goldenrod | Native | | | R | R | | | | |
| Forb | <i>Solidago gigantea</i> | Late goldenrod | Native | | | R | | | | | |
| Forb | <i>Solidago</i> sp. | Goldenrod | Native | | O | | R | | | | |
| Forb | <i>Sonchus oleraceus</i> | Annual sowthistle | Exotic | R | | | | | | | |
| Forb | <i>Sonchus uliginosus</i> | Smooth perennial sowthistle | Exotic | | O | O | O | | | | |
| Forb | <i>Symphytum lanceolatum</i> var. <i>hesperium</i> | Western willow aster | Native | | | R | | | | | |
| Forb | <i>Tanacetum vulgare</i> | Tansy | Exotic | R | | | | | | | Noxious |
| Forb | <i>Taraxacum officinale</i> | Common dandelion | Exotic | R | | O | O | O | O | | |
| Forb | <i>Thalictrum venulosum</i> | Veiny meadowrue | Native | | | R | | | | | |
| Forb | <i>Thlaspi arvense</i> | Stinkweed | Exotic | O | | R | | | | | |
| Forb | <i>Tragopogon dubius</i> | Goatsbeard | Exotic | R | | | | | | | |
| Forb | <i>Trifolium hybridum</i> | Alsike clover | Exotic | | | R | | | | | |
| Forb | <i>Trifolium pratense</i> | Red clover | Exotic | | | R | R | | | | |
| Forb | <i>Trifolium repens</i> | White clover | Exotic | | | R | | | | | |

| Type | Latin name | Common name | Origin | Plant Community ¹ | | | | | | Status (ACIMS/Weed Act) |
|--------------|--|-----------------------|---------|------------------------------|-----|-----|-----|----|----|----------------------------|
| | | | | G & G/S | C | P1 | A1 | A3 | P3 | |
| Forb | <i>Urtica dioica</i> | Stinging nettle | Native | | | R | | | | |
| Forb | <i>Vicia americana</i> | Wild vetch | Native | | O | F | R | | | |
| Type | Latin name | Common name | Origin | G & G/S | C | P1 | A1 | A3 | P3 | MM |
| Forb | <i>Vicia cracca</i> | Tufted vetch | Exotic | R | | R | R/F | | | |
| Forb | <i>Viola canadensis</i> | Western Canada violet | Native | | | R | R | R | | |
| Graminoid | <i>Agropyron</i> sp. | Wheatgrass | Unknown | | O | | | | | |
| Graminoid | <i>Agropyron dasystachyum</i> | Northern wheatgrass | Native | | R | | | | | |
| Graminoid | <i>Agropyron pectiniforme</i> | Crested wheatgrass | Exotic | A | | R | | | | |
| Graminoid | <i>Bromus inermis</i> | Smooth brome | Exotic | F/A | F/A | R/A | F | | | |
| Graminoid | <i>Bromus inermis</i> ssp. <i>pumpellianus</i> | Northern brome | Native | | | R | R | | | |
| Graminoid | <i>Carex deweyana</i> | Dewey's sedge | Native | | | R | | | | |
| Graminoid | <i>Carex retrorsa</i> | Turned sedge | Native | | R | | | | | S3 |
| Graminoid | <i>Carex</i> sp. | Sedge | Unknown | | R | | | | | |
| Graminoid | <i>Elytrigia repens</i> | Quackgrass | Exotic | A | R | O | | | | |
| Graminoid | <i>Festuca</i> sp. | Fescue grass | Unknown | | R | | | | | |
| Graminoid | <i>Festuca rubra</i> | Red fescue | Native | | R | | | | | |
| Graminoid | <i>Phalaris arundinacea</i> | Reed canarygrass | Native | R/D | R | | | | | |
| Graminoid | <i>Poa pratensis</i> | Kentucky bluegrass | Native | O | O | | | | | |
| Graminoid | <i>Scirpus microcarpus</i> | Small-fruited bulrush | Native | | R | | | | | |
| Graminoid | <i>Setaria viridis</i> | Green foxtail | Exotic | R | | | | | | |
| Pteridophyte | <i>Equisetum arvense</i> | Common horsetail | Native | | R/A | R | | | | |
| Pteridophyte | <i>Equisetum hyemale</i> | Common scouring rush | Native | | R | | | | | |
| Shrub | <i>Alnus tenuifolia</i> | River alder | Native | | R | | | | | |
| Shrub | <i>Amelanchier alnifolia</i> | Saskatoon | Native | | R | | | | | |
| Shrub | <i>Caragana arborescens</i> | Common caragana | Exotic | R/D | D | R | O | A | R | |
| Shrub | <i>Clematis occidentalis</i> | Western blue clematis | Native | | O | O | R | | | |

| Type | Latin name | Common name | Origin | Plant Community ¹ | | | | | | Status (ACIMS/Weed Act) |
|-------|--|-----------------------|---------|------------------------------|-----|-----|----|----|----|----------------------------|
| | | | | G & G/S | C | P1 | A1 | A3 | P3 | |
| Shrub | <i>Cornus stolonifera</i> | Red osier dogwood | Native | | O/F | O/F | A | R | A | O |
| Shrub | <i>Corylus cornuta</i> | Beaked hazelnut | Native | | R | A | F | F | R | |
| Shrub | <i>Cotoneaster</i> sp. | Cotoneaster | Exotic | | R | R | R | R | R | R |
| Shrub | <i>Elaeagnus angustifolia</i> | Russian olive | Exotic | R | | | | | | |
| Shrub | <i>Elaeagnus commutata</i> | Silverberry | Native | R | R | R | O | | | |
| Shrub | <i>Lonicera dioica</i> | Twining honeysuckle | Native | | O | F | F | | | |
| Shrub | <i>Lonicera tartarica</i> | Tartarian honeysuckle | Exotic | | R | | | | | |
| Shrub | <i>Lycium</i> sp. | Wolfberry | Exotic | R/A | | | | | | |
| Shrub | <i>Prunus pensylvanica</i> | Pincherry | Native | | R | O/F | | | | |
| Shrub | <i>Prunus virginiana</i> | Chokecherry | Native | R/A | R | A | A | A | R | O |
| Shrub | <i>Prunus virginiana</i> 'Schubert' | Schubert chokecherry | Unknown | | R | | R | | | |
| Shrub | <i>Rhamnus catharticus</i> | Common buckthorn | Exotic | | R | | | | R | |
| Shrub | <i>Ribes americanum</i> | American currant | Native | | R | | | | | |
| Shrub | <i>Ribes oxyacanthoides</i> | Northern gooseberry | Native | | | O | O | R | | |
| Shrub | <i>Ribes triste</i> | Swamp red currant | Native | | R | R | R | R | R | R |
| Shrub | <i>Rosa acicularis</i> | Prickly rose | Native | | R | O | | | | |
| Shrub | <i>Rosa</i> sp. | Rose (cultivated) | Exotic | R | | | | | | |
| Shrub | <i>Rosa woodsii</i> | Woods rose | Native | F | R | O | O | | | R |
| Shrub | <i>Rubus idaeus</i> | Red raspberry | Native | R | R | R | | | | |
| Shrub | <i>Salix bebbiana</i> | Bebb's willow | Native | | | R | | | | |
| Shrub | <i>Salix exigua</i> | Sandbar willow | Native | | | O | | | | |
| Shrub | <i>Salix lasiandra</i> var. <i>lasiandra</i> | Shining willow | Native | | R | | | | | |
| Shrub | <i>Salix pyrifolia</i> | Balsam willow | Native | | R | | | | | |
| Shrub | <i>Sambucus racemosa</i> | Elderberry | Native | | R | R | O | | | R |
| Shrub | <i>Shepherdia argentea</i> | Thorny buffaloberry | Native | R | | R | | | | |
| Shrub | <i>Shepherdia canadensis</i> | Buffaloberry | Native | | R | A | F | | | |
| Shrub | <i>Symporicarpus albus</i> | Snowberry | Native | | F | F | O | F | | |

| Type | Latin name | Common name | Origin | Plant Community ¹ | | | | | | Status (ACIMS/Weed Act) |
|-------|-----------------------------------|-----------------------|---------|------------------------------|-----|----|----|----|----|----------------------------|
| | | | | G & G/S | C | P1 | A1 | A3 | P3 | |
| Shrub | <i>Symporicarpus occidentalis</i> | Buckbrush | Native | R/A | O | O | | | | |
| Shrub | <i>Viburnum edule</i> | Low bush cranberry | Native | | O | O | | | | |
| Shrub | <i>Viburnum opulus</i> | High bush cranberry | Native | | R | O | R | R | R | S3 |
| Tree | <i>Acer negundo</i> | Manitoba maple | Exotic | O | O/D | O | O | A | A | D |
| Tree | <i>Betula papyrifera</i> | Paper birch | Native | | | R | O | D | | |
| Tree | <i>Fraxinus pennsylvanica</i> | Green ash | Exotic | R | O | R | R | O | | |
| Tree | <i>Larix</i> sp. | Larch | Unknown | R | | R | | | | |
| Tree | <i>Picea glauca</i> | White spruce | Native | | | O | R | | | |
| Tree | <i>Pinus banksiana</i> | Jack pine | Native | | | R | | | | |
| Tree | <i>Pinus contorta</i> | Lodgepole pine | Native | O | | | | | | |
| Tree | <i>Populus balsamifera</i> | Balsam poplar | Native | R | D | R | A | D | D | O |
| Tree | <i>Populus tremuloides</i> | Trembling aspen | Native | | | D | D | A | D | |
| Tree | <i>Populus</i> x. sp. | Hybrid poplar | Unknown | | | O | | | | |
| Tree | <i>Quercus</i> sp. | Oak | Exotic | | R | | R | | | |
| Tree | <i>Sorbus acuparia</i> | European mountain ash | Exotic | | O | R | R | R | R | |
| Tree | <i>Ulmus americana</i> | American elm | Exotic | R | R | | | | | |

D=dominant, A=abundant, F=frequent, O=frequent, R=rare (locally uncommon)